AMENDMENTS TO THE CLAIMS

Applicants have canceled Claim 1-6 and 21-34 and amended claims 7 and 35 as follows. The listing of the claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (canceled)
- 2. (canceled)
- 3. (canceled)
- 4. (canceled)
- 5. (canceled)
- 6. (canceled)
- 7. (currently amended): A method for vaporizing a liquid or solid sample for analysis, comprising:
 - a) providing a micropyrolyzer, comprising:
 - a substrate having a suspended membrane formed thereon, the membrane having a surface for accepting the sample, wherein the substrate is selected from the group consisting of semiconductors and dielectrics; and
 - a resistive heating element disposed on the membrane;
 - a) depositing the sample on the sample-accepting surface of the membrane;
- b) heating the sample on the membrane with the resistive heating element to form a vapor; and
 - c) removing the vapor from the micropyrolyzer for chemical analysis of the vapor.
- 8. (previously presented): The method of claim 7, further comprising the step of introducing a reagent chemical to the sample prior to step c).
- 9. (original): The method of claim 7, wherein the sample size is less than 3 microliters.
- 10. (original): The method of claim 7, wherein the sample heating rate is greater than 20°C per millisecond.

- 11. (original): The method of claim 7, wherein the sample heating rate is greater than 40°C per millisecond.
- 12. (original): The method of claim 7, wherein the sample heating rate is greater than 60° C per millisecond.
- 13. (original): The method of claim 7, wherein the sample can be heated to a temperature of up to 1000°C.
- 14. (original): The method of claim 7, wherein the heating requires less than 1 Watt of power.
- 15. (original): The method of claim 7, wherein the sample comprises a fatty ester, triglyceride, wax, oil, polyunsaturated fat, fatty alcohol, phenol, dipicolinic acid, carboxylic acid-containing molecule, alkaloidal narcotic, drug, drug metabolite, or herbicide.
- 16. (original): The method of claim 7, wherein the sample comprises a fatty acid or a mixture containing fatty acids.
- 17. (original): The method of claim 8, wherein the reagent chemical comprises a methylation reagent.
- 18. (original): The method of claim 17, wherein the reagent chemical comprises tetramethylammonium acetate, trimethylphenylammonium hydroxide, phenyl-trimethylammonium fluoride, N,N-Dimethylformamide dimethyl acetal, or (m-trifluoromethylphenyl) trimethylammonium hydroxide.
- 19. (original): The method of claim 17, wherein the reagent chemical comprises tetramethylammonium hydroxide.
- 20. (original): The method of claim 7, wherein the vapor is formed by pyrolysis, heated chemistry, or thermal desorption of the sample.
- 21. (canceled)
- 22. (canceled)
- 23. (canceled)
- 24. (canceled)

- 25. (canceled)
- 26. (canceled)
- 27. (canceled)
- 28. (canceled)
- 29. (canceled)
- 30. (canceled)
- 31. (canceled)
- 32. (canceled)
- 33. (canceled)
- 34. (canceled)
- 35. (currently amended): The method of claim <u>7</u>34, wherein the substrate comprises silicon.
- 36. (previously presented): The method of claim 7, wherein the membrane comprises a material selected from the group consisting of silicon nitride, polysilicon, silicon oxynitride and silicon carbide.
- 37. (previously presented): The method of claim 7, wherein the resistive heating element comprises a circuitous metal trace.
- 38. (previously presented): The method of claim 37, wherein the metal comprises a metal selected from the group consisting of platinum, molybdenum, titanium, chromium, palladium, gold, tungsten, and combinations thereof.